



US Composting Council

Seal of Testing Assurance®

Ulster County Resource Recovery Agency

Product – Grow Ulster Green Compost, Tested once every three months

www.ucrra.org

999 Flatbush Road
Kingston, New York 12401

Contact – Angelina Peone

apeo@ucrra.org

(845) 336-0600

Sample Date: 20220920 Finished Screened Compost 09202022

Compost Technical Data Sheet

Compost Parameters	Reported as	Test Results
pH		8.2
Soluble salts	dS/m (mmhos/cm)	2.60
Primary plant nutrients	%, dry weight basis	
Nitrogen	Total N	2.01
Phosphorus	P ₂ O ₅	0.66
Potassium	K ₂ O	0.80
Calcium	Ca	5.53
Magnesium	Mg	0.38
Moisture content	%, wet weight basis	39.79
Organic matter content	%, dry weight basis	52.74
Particle size	Screen size passing through	100% passing 9.5 mm
Stability (respirometry)	mg CO ₂ -C per g TS per day mg CO ₂ -C per g OM per day	0.6 0.9
Maturity (Bioassay)		
Percent emergence	% (average)	100
Relative seedling vigor	% (average)	100
Select Pathogens	PASS/FAIL (Per US EPA Class A standards, 40 CFR § 503.32(a))	PASS
Trace metals	PASS/FAIL (Per US EPA standards, 40 CFR § 503.13, Table 3)	PASS

Participants in the United States Composting Council's Seal of Testing Compliance Program have shown the commitment to test their compost products on a prescribed basis, and provide this data, along with compost end use instructions, as a means to better serve the needs of their compost customers.

This compost product has been sampled and tested as required by the Seal of Testing Assurance Program on the United States Composting Council (USCC), using certain methods from the "Test Methods for the Examination of Compost and Composting" manual. Test results are available upon request by contacting the compost producer (address at top of page). The USCC makes no warranties regarding this product or its content, quality, or suitability for any particular use. Nutrients data are for informational purposes only and do not constitute, in part or whole, a guaranteed analysis. Nutrients data are for informational purposes only and do not constitute, in part or whole, a guaranteed analysis.



Account No. : 1985

Compost (TMECC) Analysis Report

BRANDT, ANGELINA
ULSTER COUNTY RESOURCE RECOVERY AG
P.O. BOX 6219
KINGSTON NY 12402

Invoice No. : 1137073
Date Received : 09/19/2022
Date Analyzed: 09/20/2022

Lab No. : 1764

Results For : ULSTER COUNTY RESOURCE RECOVERY AGENCY
Sample ID : FINISHED SCREENED COMPOST PILE

	Analysis Dry Basis	Analysis As Is Basis	Lbs / Ton		Available First Year
			Dry Basis	As Is Basis	
Organic N, % N	1.94	1.17	38.8	23.3	5.8
Ammonium, % N	0.046	0.0280	0.9	0.5	0.5
Nitrate, % N	0.026	0.0160	0.5	0.3	0.3
Total N, % N	2.01	1.21	40.2	24.2	6.7
Phosphorus, % P ₂ O ₅	0.66	0.40	13.2	8.0	5.6
Potassium, % K ₂ O	0.80	0.48	16.0	9.6	8.7
Sulfur, % S	0.24	0.14	4.9	2.9	1.2
Calcium, % Ca	5.53	3.33	110.5	66.5	46.6
Magnesium, % Mg	0.38	0.23	7.5	4.5	3.2
Sodium, % Na	0.20	0.12	3.9	2.4	2.4
Sodium Adsorption Ratio (SAR)	2.17				
Iron, ppm Fe	10199.1	6140.9	20.4	12.3	8.6
Manganese, ppm Mn	419.1	252.3	0.8	0.5	0.4
Aluminum, ppm Al	3586.5	2159.4	7.2	4.3	3.0
Boron, ppm B	19.8	11.9	0.0	0.0	0.0
Soluble Salts, (EC 1:5) dS/m		2.60			
pH		8.2			
Moisture, %	39.79				
Dry Matter (TS), %	60.21				
Ash, %	47.26	28.46			
Organic Matter LOI 550C, %	52.74	31.75			
Organic Carbon, %	30.59	18.42			
Organic C:N Ratio	15.2				
Bulk Density, lbs / cubic foot		31			
Human Inerts & Plastic Film, %		< 0.1			
STA 503 H.Metal Screen	Pass				

W.R. Rohrer - AgroLab Inc.

10/12/2022

Copy : 1

Page 1 of 2

Bus: 302/566-6094
Email: admin@agrolab.us

web site
www.agrolab.us

101 Clukey Dr.
Harrington, DE 19952



Account No. : 1985

Compost (TMECC) Analysis Report

BRANDT, ANGELINA
ULSTER COUNTY RESOURCE RECOVERY AG
P.O. BOX 6219
KINGSTON NY 12402

Invoice No. : 1137073
Date Received : 09/19/2022
Date Analyzed: 09/20/2022

Lab No. : 1764

Results For : ULSTER COUNTY RESOURCE RECOVERY AGENCY
Sample ID : FINISHED SCREENED COMPOST PILE

	Analysis Dry Basis	Analysis As Is Basis	Lbs / Ton		Available First Year
			Dry Basis	As Is Basis	
STA Pathogen Screen		Pass			
Respiration mg CO ₂ -C/g OM/day	0.9				
Compost Respiration Stability Index		Very Stable			
Respiration mg CO ₂ -C/g TS/day	0.6				
Compost Respiration Stability Index		Very Stable			
Maturity Indicator by Germination					
Emergence %		100			
Maturity		Very Mature			
Seedling Vigor %		100			
Maturity		Very Mature			

"<" - Not Detected / Below Detection Limit

Particle Size Distribution	Sieve Size	Fraction Retained (%)	Total Passing (%)
	25 mm	0.0	100.0
	9.5 mm	0.0	100.0
	No.10 (2 mm)	42.6	57.4
	No.18 (1 mm)	15.2	42.2
	Pan	42.2	0.0

Note: The available first year Ammonium-N is calculated based on maximum availability, or incorporation within 24 hours. Advise a nutrient consultant for adjustments beyond 24 hr incorporation.



Account No. : 1985

Environmental Sample Analysis Report

**BRANDT, ANGELINA
 ULSTER COUNTY RESOURCE RECOVERY AG
 P.O. BOX 6219
 KINGSTON NY 12402**

**Invoice No. : 1137070
 Date Received : 09/19/2022
 Date Analyzed: 09/20/2022**

Lab No. : 1318

Results For : ULSTER COUNTY RESOURCE RECOVERY AGENCY

Sample ID : FINISHED SCREENED COMPOST PILE

Description :

Analysis

**Solid: Dry Wgt
 Liquid: As Rcvd**

**EPA Method
 Number**

**Lab.
 Tech.**

**Detection
 Limit**

Arsenic As, mg/kg	4.43	3050B/6010C	L.D.S	0.01
Cadmium Cd, mg/kg	0.65	3050B/6010C	L.D.S	0.01
Chromium Cr, mg/kg	15.61	3050B/6010C	L.D.S	0.01
Copper Cu, mg/kg	40.71	3050B/6010C	L.D.S	0.01
Molybdenum Mo, mg/kg	1.73	3050B/6010C	L.D.S	0.01
Nickel Ni, mg/kg	9.73	3050B/6010C	L.D.S	0.01
Lead Pb, mg/kg	27.04	3050B/6010C	L.D.S	0.01
Selenium Se, mg/kg	0.25	3050B/6010C	L.D.S	0.01
Zinc Zn, mg/kg	225.56	3050B/6010C	L.D.S	0.01
Mercury Hg, mg/kg	0.027	7473	L.D.S	0.01

Microbiological Screening

Count

Method

**Detection
 Limit**

Fecal Bacteria, MPN of CFU/1g dry basis	50	TMEC 07.01-B	1 MPN/g dry wgt	
Salmonella MPN of CFU/4g	Not Detected	L. Flow ATEC 13076	Pos/Neg/4g dry wgt	