### ULSTER COUNTY RESOURCE RECOVERY AGENCY

## **RESOLUTION NO. 2599**

### **RE:** Authorizing and Approving the Purchase of a Caterpillar Skid Steer Loader and **Caterpillar Excavator**

WHEREAS, The Ulster County Resource Recovery Agency (the "Agency") is engaged in Solid Waste Management and Recycling in Ulster County. and

WHEREAS, the Agency requires a new Caterpillar Skid Steer Loader (Exhibit A) and Caterpillar Excavator (Exhibit B) to perform the work required to carry out the duties of Solid Waste Management, and

WHEREAS, the Agency staff has recommended the purchase of the equipment through the Sourcewell Statewide Contract in compliance with the New York State bidding as the Agency is allowed to piggyback under New York State General Municipal Law Section 103; see attached exhibits describing the equipment to be purchased, and

NOW, THEREFORE, BE IT

**RESOLVED**, that the Ulster County Resource Recovery Agency does hereby authorize and approve the purchase of the equipment as described in the attached documents, and be it

FURTHER RESOLVED, that the Acting Executive Director and Agency staff are hereby authorized to take all steps necessary to complete the purchase of the Equipment, and be it.

FURTHER RESOLVED, that this Resolution shall take effect immediately.

Moved by: \_\_\_\_\_ Seconded by: \_\_\_\_\_

Vote: Ayes Nays

Absent \_\_\_\_\_

Date: September 28, 2023

Financial Impact: \$369,500



Jul 14, 2023

### ULSTER COUNTY RESOURCE RECOVERY

PO BOX 6219 KINGSTON, New York 12402

Charlie Wittaker,

Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New Caterpillar Inc Model: 272D3 Skid Steer Loader with all standard equipment in addition to the additional specifications listed below:

YEAR:

STOCK NUMBER:

SERIAL NUMBER:

.

hibut

SMU:

We appreciate your interest in H.O. Penn Machinery Co. Inc. and Caterpillar products for your business needs. This quotation is valid for 30 days, and is subject to prior sale. If there are any questions, please do not hesitate to contact me.

Regards,

Scott Cortright Machine Sales Representative scortright@hopenn.com (845) 206-2557

Page 1 of 4

## One (1) New Caterpillar Inc Model: 272D3 Skid Steer Loader with all standard equipment in addition to the additional specifications listed below:

#### STANDARD EQUIPMENT

**POWERTRAIN** -Cat C3.8 turbo aftercooled diesel engine --Gross horsepower per SAE J1349 -98 hp (73 kW) @ 2400 RPM --Electric fuel priming pump --Air inlet heater starting aid --Liquid cooled, direct injection -Air cleaner, dual element, radial seal -S-O-S sampling valve, hydraulic oil -Filter, cartridge type, hydraulic -Filters, canister type, fuel -and water separator -Radiator / hydraulic oil -cooler (side-by-side) -Spring applied, hydraulically released, -parking brakes -Hydrostatic transmission -Four wheel chain drive -

HYDRAULICS -CONTROLS: -Electro/hydraulic implement control -Electro/hydraulic hydrostatic -transmission control

ELECTRICAL -12 volt electrical system -100 ampere alternator -Ignition key start / stop / aux switch -Lights: --Gauge backlighting --Two rear tail lights --Dome light -Backup alarm -Electrical outlet, beacon -

OPERATOR ENVIRONMENT -Operator warning system indicators: --Air filter restriction --Alternator output --Armrest raised / operator out of seat --Engine coolant temperature --Engine oil pressure --Air inlet heater activation --Hydraulic filter restriction --Hydraulic oil temperature --Park brake engages --Engine emission system -Gauges: DEF level, fuel level, hour -meter and tachometer -Storage compartment with netting -Adjustable vinyl seat -Ergonomic contoured armrest -Adjustable joystick controls --Control interlock system, when operator -leaves seat or armrest raised : --Hydraulic system disables --Hydrostatic transmission disables --Parking brake engages -ROPS Cab, open, tilt up -Anti-theft security system with 50 user -code capability -FOPS, Level I -Top and rear windows -Floormat -Interior rear view mirror -12V electric socket -Horn -Hand (dial) throttle electronic

FRAMES -Lift linkage, vertical path -Chassis, one piece welded -Machine tie down points (6) -Belly pan cleanout -Support, lift arm -Cast rear bumper -Ventilated rear door with integrated -sealing

OTHER STANDARD EQUIPMENT -Engine enclosure - lockable -Extended life antifreeze (-37C, -34F) -Coupler, mechanical -Hydraulic oil level sight gauge -Radiator coolant level sight gauge -Radiator expansion bottle -Cat tough guard hose -Heavy duty flat faced quick disconnects -with integrated pressure release -Split d-Ring to route work tool hoses -along side of left lift arm -Variable speed hydraulic cooling fan -Per SAE J818-2007 and EN 474-3:2006 and -ISO 14397-1:2007

MACHINE SPECIFICATIONS	
272D3 SKID STEER LOADER	512-4272
CAB PACKAGE, ULTRA	588-9097
HYDRAULICS, PERFORMANCE, (H3)	512-4414
CONTROL, ISO, PROP, WT	512-4115
POWERTRAIN, TWO SPEED	512-3371
RIDE CONTROL, NONE	512-3490
BATTERY,EXTRA HEAVY DUTY, DISC	568-5612
LIGHTS, LED	495-1671
REAR LIGHTS	356-6082
ROPS, ENCLOSED WITH A/C (C3)	512-3368
SEAT, AIR SUSPENSION, CLOTH, HEAT	536-9738
DOOR, CAB, POLYCARBONATE	539-8061

Quote 133547-01

STANDARD RADIO(12V),BLUETOOTH	345-6180
DISPLAY, ADVANCED, LCD, CAMERA	465-3705
PRODUCT LINK, CELLULAR PL641	573-8121
FAN, COOLING, DEMAND, REVERSING	579-8782
TIRES, 33X6X11 CAT FLEX SOLID	568-4636
QUICK COUPLER, MANUAL	345-4910
CERTIFICATION ARR, P65	563-1163
INSTRUCTIONS, ANSI, USA	512-4282
SERIALIZED TECHNICAL MEDIA KIT	421-8926
SHIPPING/STORAGE PROTECTION	0P-2266
FILM, TWO SPEED W/HIGH FLOW XPS	568-4704
FILM, SELF LEVEL, ANSI	435-9238
HEATER, ENGINE COOLANT, 120V	345-3556
ROTATING BEACON	309-1325
COUNTERWEIGHT, MACHINE, EXTERNAL	345-5148
PACK, DOMESTIC TRUCK	0P-0210
BUCKET-GP, 74", BOCE	279-5373
KIT, GUARD, COUPLER	583-91 <b>54</b>
KIT, DEBRIS	596-9034
KIT, GUARDING	584-3877
KIT, ENG AIR INTAKE, PRECLEANER	594-5620
KIT, REMOTE GREASE (COUPLER)	527-2335

### WARRANTY & COVERAGE

Standard Warrar	nty: 24 Months or 2,000 hour Full Machi	ne
Extended Covera	age: 60 month/3,000 hour Premier warra	nty

SELL PRICE
LESS GROSS TRADE ALLOWANCE
NET BALANCE DUE
AFTER TAX BALANCE

\$108,000.00 (\$7,500.00) \$100,500.00 \$100,500.00

## PRICE INCLUDES NEW YORK STATE BID/SOURCEWELL DISCOUNT

TRADE-INS					
	Model	Make	Serial Number	Year	Trade Allowance
	000 100 VIII II I			and Marked Strategy and strategy and states a	
	S220	BOBCAT (BC)	A5GK20367	2008	\$7,500.00

# F.O.B/TERMS: Kingston

Page 3 of 4

Lead

fime

8. Months



### ULSTER COUNTY RESOURCE RECOVERY

### PO BOX 6219 KINGSTON, New York 12402

### Charlie Wittaker,

Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New Caterpillar Inc Model: 320 Excavator with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER:

SERIAL NUMBER:

YEAR: SMU:

We appreciate your interest in H.O. Penn Machinery Co. Inc. and Caterpillar products for your business needs. This quotation is valid for 30 days, and is subject to prior sale. If there are any questions, please do not hesitate to contact me.

Regards,

Scott Cortright Machine Sales Representative scortright@hopenn.com (845) 206-2557

Exhibit I

One (1) New Caterpillar Inc Model: 320 Excavator with all standard equipment in addition to the additional specifications listed below:

### STANDARD EQUIPMENT

**POWERTRAIN** -C4.4e twin turbo Tier 4 Final diesel -engine -Electric fuel priming pump -Reversible electric cooling fans -Two-stage fuel filtration system with -water separator and indicator -Sealed double element air filter with -integrated pre-cleaner -Biodiesel capable (up to B20) -

UNDERCARRIAGE - Grease lubricated track link - Tie down points on base frame - (ISO 15818 compliant) -

HYDRAULICS -Electronic main control valve -Auto warm up -Tandem type electronic main pump -Boom and stick regeneration circuits -Automatic two speed travel -Boom and stick drift reduction valve -Element type main hydraulic filter -

ELECTRICAL -Maintenance free battery -Centralized electrical disconnect switch -CAT product link -After engine shut down programmable -time delay LED working -lights: -One chassis mounted,one LH boom mounted -

**OPERATOR ENVIRONMENT** -Sound suppressed ROPS cab (ISO 12117-2 -compliant) with viscous mount -Increased rear window size -as emergency exit -Openable tempered front upper windshield -w/assist device and removable tempered -lower windshield with in cab storage -bracket -2 inch (51mm) orange seat belt -Upper radial wiper for 70/30 -Automatic bi-level air conditioner -with pressurized function -Washable floor mat -Beacon ready -2 x 12V DC outlet and USB port -Dome and lower LED interior lights, -coat hook, cup holder, console storage -rear storage with net, and overhead -storage with net -(Comfort cab) - for Japan --Mechanical suspension comfort seat -w/ headrest, console height adjustment -w/ tools, arm rest angle adjustment --Fixed left side console --Openable steel hatch -(Deluxe cab) --Air suspension deluxe seat w/ headrest -w/ 2 step seat heater, console height -adjustment w/o tools, arm rest height -and angle adjustment --Tilt up left side console --Openable polycarbonate hatch for 2P -windshield -

SAFETY AND SECURITY -RH hand rail and hand hold -(ISO 2867 compliant) -Service platform with anti-skid plate -and countersunk bolts -Hydraulic lock out lever neutralizes -all controls -Ground level accessible secondary engine -shutoff switch in cab -Signaling / warning horn -

OTHER STANDARD EQUIPMENT -Side entry to service platform -Grouped location for engine oil -and fuel filters -Ground level 2nd dipstick for engine oil -Sampling ports for scheduled oil -Sampling (S.O.S) -Remote flash -

### MACHINE SPECIFICATIONS

320 07F HEX AM-N CFG4B

4.7T(10,360LB) Counterweight, HD Base Frame, Deluxe Cab.

Base machine for thumb ready stick configuration.

To be configured with Cat Grade as standard and have a capability

for all the Ease of Use features such as Assist or Payload.

INCLUDES:

547-3690 320 07 EXCAVATOR ARRANGEMENT

578-6723 COMMON ARRANGEMENT

633-9119

134-8875 GUARD, SWIVEL, STD 489-2950 LINES, FRONT, STD 490-4847 ALTERNATOR, 145A C4.4 ENGINE 490-7715 PEDAL, STRAIGHT TRAVEL 493-9765 VALVE, FINE SWING 494-4985 CYLINDER, BOOM 506-5013 BATTERIES, 2 507-4834 FRAME, SWING, HD 511-9428 MONITOR, 10" 513-3210 BOOM TUBE W/EOU 513-3214 SENSOR, PRESSURE, EOU 520-9418 FILM, OPERATING PATTERN, 2WAY 524-8272 RECEIVER, BLUETOOTH 525-7678 MACHINE ECM 573-5699 UNDERCARRIAGE HD, W/SD ROLLER 575-2650 COUNTERWEIGHT, 4.7MT (10,360LB) 577-3907 LIGHT, CHASSIS 577-7865 LINES, AIR CONDITIONER 587-1510 SWIVEL, W/SWING SENSOR 592-8316 TRAVEL, ALARM 599-0934 SWING DRIVE 609-5071 CAB, DELUXE 621-1636 BEARING, SWING, HD 626-4681 LINES, SWIVEL W/SWING SENSOR LANE 3 ORDER BOOM, REACH 18'8" HD STICK, 'R9'6" HD THUMB LINKAGE, BKT, B1 W/EYE GRADE CYLINDER, STICK CYLINDER, BKT, B1 TRACK, 31" TG GUARD, TRACK GUIDE, SEGMENTED HYDRAULIC PKG, NO TOOL W/ HL JOYSTICKS, VERTICAL SLIDER LINES, DRAIN, STD SUCTION LINE, PUMP, STD CAMERA, 360 VISIBILITY FOGS LIGHTS, CAB, FOGS LIGHTS PKG, BOOM LH & RH WIPER, RADIAL W/LOWER INTEGRATED RADIO, W/O DAB GRADE W/2D, ASSIST & PAYLOAD PROD LINK, PLE683/PLE783 RADIO NETWORK MANAGER, STD MIRROR, CAB, GUARD FALLING GUARD, BOTTOM, HD GUARD, TRAVEL MOTOR, HD

490-7715 506-5013 511-9428 520-9418 592-8316 0P-9003 577-5865 490-7676 492-8537 586-3636 490-4179 521-3306 526-8766 633-9178 528-6835 493-4907 489-2952 624-7715 577-3857 579-5428 484-8022 502-7166 624-7796 594-9051 555-7286 327-6553 576-9412 488-9288

134-8875

Page 3 of 5

FILM, EXTERIOR, ANSI	578-2907 573-4351
FILM, INTERIOR, ANSI	567-3815
FILM, STICK WARNING, ANSI	528-4738
FILM, EMC	567-3816
FILM, ROPS	0P-3380
INSTRUCTIONS, ENGLISH	511-5861
STARTING AID, ETHER	577-6011
LIGHTS PKG, SURROUNDING 2D	609-0296
LIGHT, INSPECTION	488-6450
SUN SCREEN, REAR	617-0334
JOYSTICK STEER + AUX RELAY PKG	612-9182
GRAPPLE, CPM	505-7176
MIRROR, RH	578-9808
GUARD, FALLING OBJECT (FOGS)	576-9463
STORAGE TRAY	508-9617
HANDHOLDS, RAD COMPARTMENT	490-7705
QUICK DRAINS READY	528-3290
KIT, SIDE RUBBER BUMPER	575-8647
FIXTURE, BUCKET LINKAGE B1	0G-4126
STORAGE PROTECTION (EXPORT)	0G-4202
ROLL ON-ROLL OFF GRAPPLE, TRASH 3.60YD3	141-0732

## WARRANTY & COVERAGE

	12 Months Full Machine
Extended Coverage:	84 month/10,000 hour Premier warranty

	\$319,000.00
SELL PRICE	(\$50;000.00)
LESS GROSS TRADE ALLOWANCE	\$269,000.00
NET BALANCE DUE	\$269,000.00
AFTER TAX BALANCE	
AFTER TAX BALANCE PRICE INCLUDES NEW YORK STATE BID/SOURCEWELL DISCOUNT	

TRADE-INS	-	ann ngéa na mgéa lanna (daona (daona 10) manga (daona 10) na mgéa na 101 na 101 na 101 na 101 na 101 na 101 na	anna fa dh'a bhann a' dheann a chleann ann an ann ann ann an ann ann an ann ann an a	Trade
Provide a state of the second s			Year	Allowance
Model	11. 100 million	310769	2018	\$50,000.00
EC220EL		Bassa and a second state of the second stat		

F.O.B/TERMS: Kingston